

## **A New Global Reality** The Need for Resilience to Global Epidemic Threats

Kamran Khan MD, MPH, FRCPC Founder & CEO

BlueDot

### Professor

Faculty of Medicine, Division of Infectious Diseases Dalla Lana School of Public Health University of Toronto

### **Physician-Scientist**

St. Michael's Hospital Li Ka Shing Knowledge Institute produced by Heather Abbott

## OUTBREAK Science



# "Those who cannot remember the past are condemned to repeat it..."



– George Santayana (1905) –





E arres















### All Scheduled Clinics NCELLED





# **Epidemics Spread Fast**



































# 

















































# **Global Epidemic Intelligence Platform**













该文件称,根据上级紧急通知,武汉市部分医疗机构陆续出现不明原因肺炎病人。各医疗 机构要强化门急诊管理,严格执行首诊负责制,发现不明原因肺炎病人积极调动力量就地 救治,不得出现拒诊推诿情况。

文件还强调,各医疗机构要有针对性地加强呼吸、感染科、重症医学等多学科专业力量, 畅通绿色通道,做好门诊和急诊之间的有效衔接,完善医疗救治应急预案。

因相关文件中均写的是"不明原因肺炎",网上迅速有"SARS冠状病毒"的传言。

不过,在12月31日下午,武汉市卫健委发布了最新的情况通报。

情况通报披露,近期部分医疗机构发现接诊的多例肺炎病例与华南海鲜城有关联,市卫健 委接到报告后,立即在全市医疗卫生机构开展与华南海鲜城有关联的病例搜索和回顾性调 查,目前已发现27例病例,其中7例病情严重,其余病例病情稳定可控,有2例病情好转拟 于近期出院。

病例临床表现主要为发热,少数病人呼吸困难,胸片呈双肺浸润性病灶。目前,所有病例 均已隔离治疗、密切接触者的追踪调查和医学观察正在进行中、对华南海鲜城的卫生学调 查和环境卫生处置正在进行中。

## **December 31st 2019**

It is reported that an "Urgent Notice on Doing a Good Job in the Management of Unknow n Cause of Pneumonia" was posted on the Internet in the evening of yesterday.

According to the document, according to the emergency notice from a superior, some me dical institutions in Wuhan have successively appeared patients with pneumonia of unkno wn cause. All medical institutions should strengthen the management of outpatient and e mergency departments, strictly implement the system of first-in-patient responsibility, and find that patients with unknown cause of pneumonia actively adjust the power to treat the m on the spot, and there should be no refusal and pushback.

The document also emphasizes that medical institutions must strengthen the multidiscipli nary professional strength of respiratory, infectious diseases, and intensive medicine in a targeted manner, open green channels, effectively link between outpatient and emergenc y departments, and improve emergency plans for medical treatment.

As the relevant documents wrote "unknown cause of pneumonia", there were rumors of "SARS coronavirus" on the Internet.

However, in the afternoon of December 31, the Wuhan Municipal Health and Health Com mission issued the latest briefing.









"All the News That's Fit to Print"



## In New Tools to Combat Epidemics, the Key Is Context

### By AMY O'LEARY

ot long ago, Google Flu seemed like magic — a smart, cheap way to sift digital data for the public good.

But Google Flu, which tries to track flu outbreaks faster than the government, has shown its limitations. Not only did it grossly overestimate the flu this year, but its methods did little to track new, deadly diseases that could emerge anywhere, in places as random as a mass religious gathering on the banks of the Ganges or a poultry market in Shanghai.

Now a new project called BioMosaic is building a more comprehensive picture of foreign-borne disease threats in the United States, by merging three separate data tools into a single app for guiding decisions at the time of

a global event in Haiti becomes a local event in five counties in Florida and five counties in New York," Dr. Cetron said. "When you see it, you get these aha! moments of appreciation."

One of the doctors in the field who can benefit from these types of insights is Dr. Kamran Khan, an infectious disease specialist and researcher at St. Michael's Hospital in Toronto.

Dr. Khan, who said he had a "bad habit of being around emerging diseases," has worked on the front lines of the 1999 West Nile virus outbreak and the H1N1 pandemic of 2009. But the event that hit closest to home was when his own hospital was affected by a deadly outbreak of severe acute respiratory syndrome, or SARS, which hit Toronto in 2003.

That spring, the city had received an infected passenger from Hong Kong



THURSDAY, JUNE 20, 2013

**Reprinted With Permission** 



ments and airlines to amass a database of human movement around the globe, encompassing 4,000 airports and 30 million flights a year, carrying 2.5 billion passengers.

With that information, he can better predict the likelihood of where a single case of bird flu in Asia, for instance, might eventually surface on other continents.

It is powerful data, but made even more so when placed in BioMosaic alongside a mapping tool that tracks on-the-ground disease reports. That part of the puzzle is HealthMap, which was created by a team at Boston Children's Hospital under the direction of John Brownstein, a professor at Harvard Medical School.

His staff monitors everything from Arabic news reports on cholera to a local television story about a ra-

## Population



IMPACT

### Environment



# **Global Epidemic Intelligence Platform**



### The Economist

Brazil's economic quagmire Germany lurches towards leadership America's oversold manufacturing boom The theology of jihad Mosquito sex and malaria

FEBRUARY 28TH-MARCH 6TH 2015

Economist.com

## Planet of the phones

a supercomput in their pocket

Anonymously analyzing location data from nearly 400 million mobile devices worldwide in near-real-time



## Mobile Devices Departing Wuhan, December 2019



## December 31<sup>st</sup>, 2019

Final Destinations of Passengers and Flights Departing Wuhan, China







International Society of Travel Medicine

Journal of Travel Medicine, 2020, 1–3 doi: 10.1093/jtm/taaa008 Rapid Communication

### **Rapid Communication**

### Pneumonia of unknown aetiology in Wuhan, China: potential for international spread via commercial air travel

romoting healthy travel worldwide

### Isaac I. Bogoch<sup>1,2,\*</sup>, Alexander Watts<sup>3,4</sup>, Andrea Thomas-Bachli<sup>3,4</sup>, Carmen Huber<sup>3,4</sup>, Moritz U.G. Kraemer<sup>5,6</sup> and Kamran Khan<sup>1,3,4</sup>

<sup>1</sup>Department of Medicine, University of Toronto, Toronto, Canada, <sup>2</sup>Divisions of General Internal Medicine and Infectious Diseases, University Health Network, Toronto, Canada, <sup>3</sup>Li Ka Shing Knowledge Institute, St. Michael's Hospital, Toronto, Canada, <sup>4</sup>BlueDot, Toronto, Canada, <sup>5</sup>Department of Zoology, University of Oxford, Oxford, UK and <sup>6</sup>Centre for the Mathematical Modelling of Infectious Diseases, London School of Hygiene & Tropical Medicine, London, UK

\*To whom correspondence should be addressed. Email: isaac.bogoch@uhn.ca

Submitted 8 January 2020; Revised 9 January 2020; Editorial Decision 10 January 2020; Accepted 10 January 2020

### Abstract

There is currently an outbreak of pneumonia of unknown aetiology in Wuhan, China. Although there are still several unanswered questions about this infection, we evaluate the potential for international dissemination of this disease via commercial air travel should the outbreak continue.

Key words: SARS, air travel, coronavirus, pneumonia, outbreak, zoonosis

On 30 December 2019, a report of a cluster of pneumonia of unknown aetiology was published on ProMED-mail, possibly related to contact with a seafood market in Wuhan, China. Hospitals in the region held an emergency symposium, and support from federal agencies is reportedly helping to determine the source of infection and causative organism. The seafood market has since been closed, but purportedly sold a variety of live animal species. On 5 January 2019, the World Health Organization (WHO) published a document outlining their request for more information from Chinese public health authorities, and detailed 44 patients had 'pneumonia of unknown aetiology', with 121 close contacts under surveillance (www.who.int/csr/don/ 05-january-2020-pneumonia-of-unkown-cause-china/en/). The WHO reported that 11 patients were severely ill, and many affected individuals had contact with the Huanan Seafood market. Some patients were reported to have fever, dyspnea and pulmonary infiltrates on chest radiography. At the time of publication, limited information has been produced directly by Chinese public health authorities; however, media reports documenting interviews with such authorities have stated that the aetiology is not yet identified, that there are now 59 affected patients, and

that severe acute respiratory syndrome (SARS), the Middle East respiratory syndrome (MERS), avian influenza and several other common respiratory pathogens have been ruled out (http://news. hebei.com.cn/system/2020/01/05/100154729.shtml). On 8 January 2019, news outlets and ProMED-mail reported that genetic sequencing demonstrated a novel coronavirus as the potential causative organism.<sup>2</sup> Given the recent history of zoonotic transmission of a coronavirus emerging from a live-animal market in China in 2002, and the potential for novel pathogens to rapidly spread globally via commercial air travel,<sup>3,4</sup> we sought to evaluate international travel patterns from Wuhan, China in order to anticipate patterns of disease dispersion should this outbreak evolve.

We evaluated 2018 travel data generated from the International Air Transport Association (IATA) to quantify passenger volumes originating from the international airport in Wuhan, China, between January and March, inclusive. IATA data accounts for  $\sim$ 90% of passenger travel itineraries on commercial flights, excluding transportation via unscheduled charter flights (the remainder is modelled using market intelligence). These data represent direct origin (Wuhan) to destination trips, and indirect



nation city	Population* (in millions)	Destination province	Destination country	IDVI	Direct volume***	Total vo
,kok	8.28	Bangkok	Thailand	0.711	38 457	4
		Metropolis				
g Kong	7.39	Hong Kong SAR	Hong Kong SAR	0.664**	23 608	2
70	9.27	Tokyo	Japan	0.926	18 581	2
ei	2.62	Taipei	Taiwan	0.710	15 086	1
cet	0.39	Phuket	Thailand	0.711	14 097	1
1	9.78	Seoul	Korea (South)	0.879	11 771	1
apore	5.61	Singapore	Singapore	0.878	8599	1
Kinabalu	0.25	Sabah	Malaysia	0.761	12 340	1
au	0.62	Macau SAR	Macao SAR	0.664**	10 918	1
pasar Bali	0.79	Bali	Indonesia	0.563	7759	9
iey	5.23	New South Wales	Australia	0.913	5093	5
ai	3.14	Dubay	The UAE	0.765	6389	5
a Lumpur	1.81	WP Kuala Lumpur	Malaysia	0.761	2393	
hsiung	2.77	Kaohsiung City	Taiwan	0.710	6373	6
ca	2.69	Osaka	Japan	0.926	3062	
<b>N</b> Î	0.46	Krabi	Thailand	0.711	5012	
ourne	4.94	Victoria	Australia	0.913	0	
t Thani	0.13	Surat Thani	Thailand	0.711	5044	
ng Mai	0.13	Chiang Mai	Thailand	0.711	4354	(2
ng	1.77	Pulau Pinang	Malaysia	0.761	4436	1

Table 1. Top 20 passenger destination cities from Wuhan, China, January-March 2018 and corresponding IDVI of destination countries

Submitted 8 January 2020;





## **Anticipating the International Spread of Zika**



00

### **Risk of Local Zika Transmission**

0





# **Global Epidemic Intelligence Platform**









 $\mathbf{O}$ 

### **PUBLIC HEALTH**







### Η + 6% ¢ HEALTHCARE PROVIDERS

# CUSTODIANS

**GLOBAL EPIDEMIC** INTELLIGENCE **PLATFORM** 

# HEALTHCARE CONSUMERS

### **PUBLIC SECTOR**

- Protect lives and livelihoods
- Maintain armed forces readiness
- Prevent bioterrorism attacks
- Prevent outbreaks in livestock



### **PRIVATE SECTOR**

- Protect business continuity
- Preserve critical supply chains

### **POPULATION HEALTH** Protect employee health & safety CUSTODIANS

Protect customer health & safety



### INSIGHTS by bluedot

### < 🖾

### Last 60 days: Jul 6, 2020 – Today 🗸

My Locations			Arctic
Sort by Alphabetical	~		Ocean
+ Add a location			
Location-agnostic view			
Canada Canada	<b>۲</b>		
Montreal Canada			and the
New Brunswick/Nouveau-Brunswick Canada			UNITED
<b>Toronto</b> Canada			and the second second
United States		The second and the se	
Vancouver Canada		North	
Winnipeg Canada		Pacific Ocean	North Pacific Ocean

 $^{\diamond}$   $\sim$ 



### Near real-time disease alerts based on what's relevant to you.

### New Event -Undiagnosed respiratory syndrome in China

With sources from: NEWS MEDIA

You are receiving this notification because you've set Unknown to "Always Notify". To edit your disease preferences, visit your custom settings.

LOCAL TRANSMISSIBILITY UNKNOWN: Insufficient data about Unknown's potential for local transmission.

### From: BlueDot Insights <<u>Insights@bluedot.global</u>> Date: December 31, 2019 at 9:59:53 AM EST To: Subject: Undiagnosed respiratory syndrome in China

### Brief

Cases of unidentified severe pneumonia have been reported in Wuhan, Hubei. On late, December 30, 2019, the Wuhan Health and Medical Commission issued an emergency alert highlighting that there have been more than 20 cases of a severe respiratory syndrome in individuals associated with the Wuhan South China Seafood Market. The cause is not yet identified. The National Health Commission sent a group of specialists on December 31, 2019, for further inspections to the Market. The Provincial Center for Disease Control and Prevention continues to analyze specimens from affected cases to identify the cause of the disease. While investigations are ongoing, all cases remain under isolation and contact tracing has started. Local health officials remind the public to remain vigilant and that official information will be provided as soon as it is available.

### Mode of Transmission

### **Incubation Period**

BlueDot protects people around the world from infectious diseases with data-driven technologies. Update notification settings



Localization and personalization of infectious disease risks worldwide



**Hepatitis A** 



# A Global Awakening

- Infectious disease threats are appearing with greater frequency, are increasing in scale, & causing greater health, economic, social disruption
- Advanced data analytics coupled with digital innovations can help the world move faster and smarter to mitigate emerging epidemic risks
- Cross sectoral nature of this challenge means government, industry, healthcare, and public sectors each need to do their respective part

)

# "An ounce of prevention is worth a pound of cure..."

– Benjamin Franklin (1736) –

